



# Lusail Real Estate Development Company

Health, Safety, Security, Environment, Logistics & Quality  
Department

## Lusail Construction Safety Procedural Forms/Checklists – Toilet Requirements Table

---

Document No LUS-HSE-FM4-446-010.01 Rev 1

Uncontrolled Copy  Controlled Copy  Date 01-Apr-2015

### COMPANY PROPRIETARY INFORMATION

Prior to use, ensure this document is the most recent revision by checking the Master Document List. To request a change, submit a Document Change Request to the Document Control Representative. Master copy of this document will be maintained by the LREDC QA/QC Manager. Not controlled if printed.

## Amendment Record

This document is reviewed to ensure its continuing relevance to the systems and process that it describes. A record of contextual additions or omissions is given below:

Rev. No	Description / Comments	Prepared By	Checked By	Approved By	Issue Date
1	(Pg. 1) Company Propriety Information – Not controlled if printed has been added.	HSE Working Group	Michael Ford	Uwe Krueger	1 <sup>st</sup> April 2015
1	(Pg. 2) Revised Amendment Table	HSE Working Group	Michael Ford <i>Michael Ford</i>	Uwe Krueger <i>Uwe Krueger</i>	1 <sup>st</sup> April 2015



## Minimum Toilet Facilities for Construction Sites

<b>Number of Employees</b>	<b>Minimum Facilities (per sex)</b>
20 or less	One
21 to 199	One toilet seat and one urinal for every 40 workers
200 or more	One toilet seat and one urinal for every 50 workers

## Minimum Toilet Facilities for Other than Construction Sites

<b>Number of Employees</b>	<b>Minimum Facilities (per sex)</b>
1 to 15	One
16 to 35	Two
36 to 55	Three
56 to 80	Four
81 to 110	Five
111 to 150	Six
151 or more	One for each additional 40 persons